

SmartLF Gx+ 56

INNOVATION IN WIDE FORMAT SCANNERS AND SOFTWARE



Extra-Wide Format Scanners for Specialist Applications & Service Providers



SUITABLE FOR:
REPROGRAPHICS, MAPPING & GIS,
AERONAUTICS & AUTOMOTIVE AND OTHER
OVER SIZE LARGE FORMAT DOCUMENTS



Go 'super-size' with SmartLF Gx+ 56 extra-wide scanners. Capable of scanning landscape AO/E-size documents and mounted originals (T model option), these scanners provide the ultimate format flexibility for service providers and other users with specialist over-size documents.

Offering 600dpi high definition (HD) optical resolution, superior color CCD technology and the cost / performance benefits of instant-on LED illumination, these scanners provide crisp, sharp fine line detail found in technical documents and maps with accurate color reproduction of artwork, photographs and graphics originals.



EXTRA-WIDE FORMAT SCANNERS

- ◆ 600dpi high definition (HD) optical resolution
- ◆ 56in image width perfect for scanning oversize documents & landscape AO/E-size
- ◆ NEW Includes SmartWorks EZ SCAN/COPY/ EMAIL software
- Sharp, crisp fine image detail superb black & white with high fidelity color capture
- ◆ CCD¹ technology with extra long-life, instant-on, unique bi-directional LED² illumination
- ♦ High density 48-bit color graphics and 16-bit monchrome data capture
- ◆ Reliable paper feed from advanced 2+4 allwheel-drive
- ◆ Scans media up to 0.8in (20mm) with Gx+ T56 suits ALL graphics & technical documents


- ◆ On-site upgrade from monochrome to color and express color
- ◆ Fast, high quality scans from power-on, no warm-up, no waiting!
- ◆ Compact, space saving design with low power consumption. ENERGY STAR® Qualified
- Low maintenance costs with easy USB2 connectivity
- ◆ High productivity scan AO/E-size documents
 FAST at 9ips @ 200dpi mono and 3ips color
- Offers the EXTRA versatility and capability professional service providers require - at an affordable price



Colortrac has the longest experience of manufacturing CCD-based wide format color scanners. The SmartLF Gx+ 56 scanners offer a combination of long-life, maintenance free bi-directional LEDs with power saving ENERGY STAR® compliance and high productivity scanning speeds. The 6th generation SmartLF Gx+ CCD scanner ranges define a new industry benchmark for high fidelity color, monochrome tone reproduction and image sharpness.









CAD and Technical Drawings

Image Enhancement

Image Restoration

Aerospace & Satellite Imaging

All SmartLF scanners are available in three affordable specification levels: monochrome, color and express color, (m, c, e). m and c models can be easily upgraded via unique email process if requirements change.

Because you need large format scanning solutions that work for you:

SmartLF Gx+ 56 scanners include SmartWorks EZ SCAN/COPY/EMAIL software that combines wide format scanning and copying in one very easy to use program and has full compatibility with wide format printers through standard Windows drivers.

SmartWorks EZ is optimized for use with touchscreen monitors using a simple, intuitive user interface suitable for general office use.



SmartWorks EZ software -Everything you need is IN THE BOX!

Colortrac recommends:

SmartWorks Pro SCAN & COPY software for more demanding users.

The professional option with Colortrac's 'scan once' workflow for unrivalled control & productivity.

Includes Intelligent Adaptive Thresholding (IAT) - voted "Best in Class" and receiving 4.5 Star OUTSTANDING rating by BERTL.

Specifications



	Gx+ 56m / Gx+ T56m	Gx+ 56c / Gx+ T56c	Gx+ 56e / Gx+ T56e
	Mono/Grayscale	+Color	+Express Color
Upgradable	m or c m or e	C ℱ e	n/a
Scanner Optical Resolution	600 dpi	600 dpi	600 dpi
Software Scan Resolution	100 to 600 dpi with SmartWorks EZ Touch & Touch Plus; up to 9600 dpi (interpolated) with SmartWorks Pro		
Max Scan Width	56in (142.3 cm)	56in (142.3 cm)	56in (142.3 cm)
Max Media Width	61.8in (157 cm)	61.8in (157 cm)	61.8in (157 cm)
Max Media Thickness	0.08in (2.0 mm) / 0.8in (20mm)	0.08in (2.0 mm) / 0.8in (20mm)	0.08in (2.0 mm) / 0.8in (20mm)
Imaging Technology	8 x CCD	8 x CCD	8 x CCD
Scan Accuracy	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel	+/-0.1% +/-1 pixel
Max Image Length⁵	The maximum image length using SmartWorks EZ Touch is 96" (2438mm). The maximum resolution & size (width & length) for a SmartWorks Pro image is limited by the file format specified, the available disk space and the computer operating system.		
Data Capture (color/grayscale)	16-bit	48-bit / 16-bit	48-bit / 16-bit
Color Space	n/a	Raw RGB from scanner sRGB using SmartWorks EZ Touch Profiled RGB from optional SmartWorks Pro	Raw RGB from scanner sRGB using SmartWorks EZ Touch Profiled RGB from optional SmartWorks Pro
Scan Speed - 1-bit mono (in/sec) @200dpi	9.00	9.00	9.00
Scan Speed - 8-bit grayscale (in/sec) @200dpi	9.00	9.00	9.00
Scan Speed - 24-bit color (in/sec) @200dpi	n/a	1.50	3.00
Paper Path	Face-down, Front entry, Rear exit		
Interface	High Speed USB 2.0 / Gigabit Ethernet network-ready		
Power Requirements	External power supply 100-240VAC auto-sensing +/-10%, 50-60Hz Scanner power consumption: 72Wh (scanning) / 5.7Wh (standby)		
Operating Conditions ⁶	10°C - 35°C, 35% - 80% Relative Humidity non-condensing		
Weight & Dimensions (WxHxD)	126 lbs (57 kg) 72.5in x 7.0in x 14.6in (184 x 18 x 37 cm)		
Host Platform	Windows 8, Windows 7, Windows Vista, Windows XP ⁸ - 32-bit and 64-bit architectures		
Certifications	CB, CE, CCC, FCC, UL, RoHS compliant and ENERGY STAR qualified		
Included Software ⁷	SmortWorks EZ Touch - Touch Screen SCAN/COPY/E-MAIL software - supports TIFF, JPEG & PDF		
Optional Software ⁷	SmortWorks EZ Touch P ^{lus} - Touch Screen SCAN & COPY software adds image edit features & user adjustable document presets SmortWorks Pro - SCAN & COPY software - industry leading, professional scanning and color-copying software		
Accessories	Floor Stand, Paper Catch Basket, PC and Monitor Mounting Kit (floor stand required)		

Notes:

1 - Colortrac does not guarantee quoted speeds for thicker media. Thicker media should be scanned at reduced speeds to obtain optimal image quality. 2 - The scan rate is proportional across the full range of resolutions supported by the scanner. Actual scan times and quoted top speeds will depend on the host performance and are not guaranteed for all media types. 3 - True 200 x 200dpi image capture. Competitors quote scan speeds using Turbo', Normal' or 'High Speed' modes that reduce image quality whilst suggesting that scan resolution is doubled. These modes use software interpolation to create 'virtual image pixels' from a lower resolution scan thereby increasing the number of pixels in the scan direction (&/or X-direction) in an attempt to simulate higher image resolution. Colortrac SmartLF scanners are designed to scan images fast at the optimum resolution required to capture the original image detail without compromising quality. 4 - The achieved scan accuracy may vary depending on the operating environment and the type & thickness of media. 5 - The maximum resolution & size (width & length) selectable for an image depends on the scan software, is limited by the file format specified, the available disk space and the computer operating system. 6 - Operation in mobile, dusty or variable temperature environments may require more frequent scanner maintenance. 7 - SmartWorks EZ Touch & SmartWorks EZ Touch PLUS support PC monitors of 15" to 23" with minimum height resolution of 800 pixels or better as a full screen application. The scanner may need to be slowed down for high scan resolutions and/or wider documents. This is a limitation of Windows XP.

For full details of host system requirements please go to: http://www.colortrac.com/
Colortrac Ltd makes no warranty of any kind with respect to the information contained in this document and reserves the right to change specifications without notice. Colortrac and SmartLF® are trademarks of Colortrac Ltd. All other trademarks are the property of their respective owners.
Copyright © 2013 Colortrac Ltd. Colortrac SmartLF Wide Format Scanners are designed by Colortrac and manufactured in our ISO-9001:2000 certified manufacturing plant.

YOUR COLORTRAC STOCKIST

Colortrac Limited

COLORTRAC HQ AND FACTORY 3-5 Brunel Court, Burrel Road, St Ives, Cambs PE27 3LW, UK Tel: +44 1480 464618 Fax: +44 1480 464620

Colortrac Inc.

4431-A Brookfield Corporate Drive Chantilly, Virginia 20151, USA Tel: +1 703 717 5631

Fax: +1 703 717 5361

Colortrac Limited (Beijing)

Room 1208, ZhongGuanCun Technology Development Building C, No.34 Zhong Guan Cun South Street HaiDian District, Beijing 100081, P.R. China Tel: +86 (0) 10 62124936

Fax: +86 (0) 10 62124770

Colortrac Japan

12th Floor, 1203 Yokohama Creation Square 5-1 Sakae-Cho Yokohama-Shi, Kanagawa-ken Japan 221-0052

Tel: +81 (0) 45 548 6991 Fax: +81 (0) 45 548 6992